


716 Series



- The 716 Series is an inverted Block and Tackle balance for **tilt** applications.
- Balances are ordered based on stamp.
- If the balance is not available, measure the glass height and sash weight.
- The information is based on two balances per sash.
- For additional information and sizes, call your sales rep **800.842.0974**
- Weight capacities are listed per pair of balances in lbs.



Length	Stamp	Weight	WRS Part #	Length	Stamp	Weight	WRS Part #	Length	Stamp	Weight	WRS Part #
10"	10A	1-6	05-716-10A	11"	11A	3-7	05-716-11A	12"	12A	3-7	05-716-12A
10"	10B	6-10	05-716-10B	11"	11B	7-10	05-716-11B	12"	12B	7-10	05-716-12B
10"	10C	10-13	05-716-10C	11"	11C	10-16	05-716-11C	12"	12C	10-16	05-716-12C
								12"	12D	16-18	05-716-12D
13"	13A	3-7	05-716-13A	14"	14A	3-7	05-716-14A	15"	15A	3-7	05-716-15A
13"	13B	7-10	05-716-13B	14"	14B	7-10	05-716-14B	15"	15B	7-10	05-716-15B
13"	13C	10-16	05-716-13C	14"	14C	10-16	05-716-14C	15"	15C	10-16	05-716-15C
13"	13D	16-18	05-716-13D	14"	14D	16-19	05-716-14D	15"	15D	16-19	05-716-15D
								15"	15E	19-22	05-716-15E
								15"	15F	22-25	05-716-15F
16"	16A	3-7	05-716-16A	17"	17A	3-7	05-716-17A	18"	18A	4-9	05-716-18A
16"	16B	7-10	05-716-16B	17"	17B	7-10	05-716-17B	18"	18B	9-13	05-716-18B
16"	16C	10-16	05-716-16C	17"	17C	10-16	05-716-17C	18"	18C	13-18	05-716-18C
16"	16D	16-19	05-716-16D	17"	17D	16-19	05-716-17D	18"	18D	18-21	05-716-18D
16"	16E	19-22	05-716-16E	17"	17E	19-22	05-716-17E	18"	18E	21-24	05-716-18E
16"	16F	22-25	05-716-16F	17"	17F	22-24	05-716-17F	18"	18F	24-26	05-716-18F
16"	16G	25-27	05-716-16G	17"	17G	24-28	05-716-17G	18"	18G	26-29	05-716-18G
								18"	18H	29-32	05-716-18H
19"	19A	4-9	05-716-19A	20"	20A	5-10	05-716-20A	21"	21A	5-10	05-716-21A
19"	19B	9-13	05-716-19B	20"	20B	10-14	05-716-20B	21"	21B	10-14	05-716-21B
19"	19C	13-18	05-716-19C	20"	20C	14-18	05-716-20C	21"	21C	14-18	05-716-21C
19"	19D	18-21	05-716-19D	20"	20D	18-22	05-716-20D	21"	21D	18-22	05-716-21D
19"	19E	21-24	05-716-19E	20"	20E	22-26	05-716-20E	21"	21E	22-26	05-716-21E
19"	19F	24-26	05-716-19F	20"	20F	26-30	05-716-20F	21"	21F	26-30	05-716-21F
19"	19G	26-29	05-716-19G	20"	20G	30-34	05-716-20G	21"	21G	30-34	05-716-21G
22"	22A	5-10	05-716-22A	23"	23A	5-10	05-716-23A	24"	24A	6-11	05-716-24A
22"	22B	10-16	05-716-22B	23"	23B	10-16	05-716-23B	24"	24B	11-17	05-716-24B
22"	22C	16-21	05-716-22C	23"	23C	16-21	05-716-23C	24"	24C	17-22	05-716-24C
22"	22D	21-24	05-716-22D	23"	23D	21-24	05-716-23D	24"	24D	22-25	05-716-24D
22"	22E	24-17	05-716-22E	23"	23E	24-17	05-716-23E	24"	24E	25-28	05-716-24E
22"	22F	27-30	05-716-22F	23"	23F	27-30	05-716-23F	24"	24F	28-30	05-716-23F
22"	22G	30-34	05-716-22G	23"	23G	30-34	05-716-23G	24"	24G	30-34	05-716-23G
22"	22H	34-37	05-716-22H	23"	23H	34-37	05-716-23H	24"	24H	34-37	05-716-23H
25"	25A	6-11	05-716-25A	26"	26A	6-11	05-716-26A	27"	27A	6-11	05-716-27A
25"	25B	11-17	05-716-25B	26"	26B	11-17	05-716-26B	27"	27B	11-17	05-716-27B
25"	25C	17-22	05-716-25C	26"	26C	17-22	05-716-26C	27"	27C	17-22	05-716-27C
25"	25D	22-25	05-716-25D	26"	26D	22-26	05-716-26D	27"	27D	22-26	05-716-27D
25"	25E	25-28	05-716-25E	26"	26E	26-30	05-716-26E	27"	27E	26-30	05-716-27E
25"	25F	28-30	05-716-25F	26"	26F	30-34	05-716-26F	27"	27F	30-34	05-716-27F
25"	25G	30-34	05-716-25G	26"	26G	34-38	05-716-26G	27"	27G	34-38	05-716-27G
25"	25H	34-37	05-716-25H	26"	26H	38-42	05-716-26H	27"	27H	38-42	05-716-27H
28"	28A	7-12	05-716-28A	29"	29A	7-12	05-716-29A	30"	30A	8-13	05-716-30A
28"	28B	12-18	05-716-28B	29"	29B	12-18	05-716-29B	30"	30B	13-19	05-716-30B
28"	28C	18-23	05-716-28C	29"	29C	18-23	05-716-29C	30"	30C	19-24	05-716-30C
28"	28D	23-28	05-716-28D	29"	29D	23-28	05-716-29D	30"	30D	24-29	05-716-30D
28"	28E	28-32	05-716-28E	29"	29E	28-32	05-716-29E	30"	30E	29-33	05-716-30E
28"	28F	32-36	05-716-28F	29"	29F	32-36	05-716-29F	30"	30F	33-37	05-716-30F
28"	28G	36-40	05-716-28G	29"	29G	36-40	05-716-29G	30"	30G	37-40	05-716-30G
28"	28H	40-43	05-716-28H	29"	29H	40-43	05-716-29H	30"	30H	40-43	05-716-30H

Any questions, call your Account Specialist @ 800.842.0974

716 Series




Length	Stamp	Weight	WRS Part #	Length	Stamp	Weight	WRS Part #	Length	Stamp	Weight	WRS Part #
31"	31A	8-13	05-716-31A	32"	32A	8-14	05-716-32A	33"	33A	8-14	05-716-33A
31"	31B	13-19	05-716-31B	32"	32B	14-20	05-716-32B	33"	33B	14-20	05-716-33B
31"	31C	19-24	05-716-31C	32"	32C	20-25	05-716-32C	33"	33C	20-25	05-716-33C
31"	31D	24-29	05-716-31D	32"	32D	25-30	05-716-32D	33"	33D	25-30	05-716-33D
31"	31E	29-33	05-716-31E	32"	32E	30-34	05-716-32E	33"	33E	30-34	05-716-33E
31"	31F	33-37	05-716-31F	32"	32F	34-37	05-716-32F	33"	33F	34-37	05-716-33F
31"	31G	37-40	05-716-31G	32"	32G	37-40	05-716-32G	33"	33G	37-40	05-716-33G
31"	31H	40-43	05-716-31H	32"	32H	40-43	05-716-32H	33"	33H	40-43	05-716-33H
34"	34A	11-16	05-716-34A	35"	35A	11-16	05-716-35A	36"	36A	11-16	05-716-36A
34"	34B	16-22	05-716-34B	35"	35B	16-22	05-716-35B	36"	36B	16-22	05-716-36B
34"	34C	22-27	05-716-34C	35"	35C	22-27	05-716-35C	36"	36C	22-27	05-716-36C
34"	34D	27-32	05-716-34D	35"	35D	27-32	05-716-35D	36"	36D	27-32	05-716-36D
34"	34E	32-34	05-716-34E	35"	35E	32-34	05-716-35E	36"	36E	32-34	05-716-36E
34"	34F	34-37	05-716-34F	35"	35F	34-37	05-716-35F	36"	36F	34-37	05-716-36F
34"	34G	37-40	05-716-34G	35"	35G	37-40	05-716-35G	36"	36G	37-40	05-716-36G
34"	34H	40-43	05-716-34H	35"	35H	40-43	05-716-35H	36"	36H	40-43	05-716-36H
34"	34I	43-45	05-716-34I	35"	35I	43-45	05-716-35I	36"	36I	43-45	05-716-36I
37"	37A	11-16	05-716-37A	38"	38A	11-16	05-716-38A	39"	39A	11-16	05-716-39A
37"	37B	16-22	05-716-37B	38"	38B	16-22	05-716-38B	39"	39B	16-22	05-716-39B
37"	37C	22-27	05-716-37C	38"	38C	22-27	05-716-38C	39"	39C	22-27	05-716-39C
37"	37D	27-32	05-716-37D	38"	38D	27-32	05-716-38D	39"	39D	27-32	05-716-39D
37"	37E	32-34	05-716-37E	38"	38E	32-34	05-716-38E	39"	39E	32-34	05-716-39E
37"	37F	34-37	05-716-37F	38"	38F	34-37	05-716-38F	39"	39F	34-37	05-716-39F
37"	37G	37-40	05-716-37G	38"	38G	37-40	05-716-38G	39"	39G	37-40	05-716-39G
37"	37H	40-43	05-716-37H	38"	38H	40-43	05-716-38H	39"	39H	40-43	05-716-39H
37"	37I	43-45	05-716-37I	38"	38I	43-45	05-716-38I	39"	39I	43-45	05-716-39I
40"	40A	11-16	05-716-40A	41"	41A	11-16	05-716-41A	42"	42A	11-16	05-716-42A
40"	40B	16-22	05-716-40B	41"	41B	16-22	05-716-41B	42"	42B	16-22	05-716-42B
40"	40C	22-27	05-716-40C	41"	41C	22-27	05-716-41C	42"	42C	22-27	05-716-42C
40"	40D	27-32	05-716-40D	41"	41D	27-32	05-716-41D	42"	42D	27-32	05-716-42D
40"	40E	32-34	05-716-40E	41"	41E	32-34	05-716-41E	42"	42E	32-34	05-716-42E
40"	40F	34-37	05-716-40F	41"	41F	34-37	05-716-41F	42"	42F	34-37	05-716-42F
40"	40G	37-40	05-716-40G	41"	41G	37-40	05-716-41G	42"	42G	37-40	05-716-42G
40"	40H	40-43	05-716-40H	41"	41H	40-43	05-716-41H	42"	42H	40-43	05-716-42H
40"	40I	43-45	05-716-40I	41"	41I	43-45	05-716-41I	42"	42I	43-45	05-716-42I
43"	43A	11-16	05-716-43A	44"	44A	11-16	05-716-44A				
43"	43B	16-22	05-716-43B	44"	44B	16-22	05-716-44B				
43"	43C	22-27	05-716-43C	44"	44C	22-27	05-716-44C				
43"	43D	27-32	05-716-43D	44"	44D	27-32	05-716-44D				
43"	43E	32-34	05-716-43E	44"	44E	32-34	05-716-44E				
43"	43F	34-37	05-716-43F	44"	44F	34-37	05-716-44F				
43"	43G	37-40	05-716-43G	44"	44G	37-40	05-716-44G				
43"	43H	40-43	05-716-43H	44"	44H	40-43	05-716-44H				
43"	43I	43-45	05-716-43I	44"	44I	43-45	05-716-44I				

1/16"



716 Series Clips

#05-162




#05-163




#05-164



#05-165




#05-166



716 Series Tilt Shoes




T-Lock/Molded Spring




WRS Part #	Pad	Puck Color	Cam	Notes
05-129-01	1.300"	Red	Open	
05-129-02	1.300"	Red	Closed	
05-129-03	1.330"	White	Open	
05-129-04	1.330"	White	Closed	
05-129-05	1.360"	Black	Closed	
05-129-06	1.375"	Blue	Closed	
05-129-07	1.360"	Black	Open	
05-129-08	1.330"	White	Open	Stamped Pivot
05-129-09	1.375"	Blue	Open	


#05-147
Front-to-Back T-Lock
Open Cam




#05-148
Front-to-Back T-Lock
Open Cam



#05-149
Front-to-Back T-Lock
Open Cam



T-Lock




#05-161
Inverted Link
Use w/ #05-1260




WRS Part #	Pad	Puck Color	Cam	Notes
05-145-01	1.048"	Green	Closed	
05-145-02	1.048"	Green	Open	
05-145-03	1.048"	White	Open	Stamped Pivot


#05-160
Metal Spring/Molded Plate
Use w/ 05-161



#05-159
T-Lock
Use w/ 3/8" Balance Only




T-Lock



WRS Part #	Pad	Puck Color	Cam
05-146-01	1.330"	White	Closed
05-146-02	1.360"	Black	Closed
05-146-03	1.375"	Blue	Closed

747 Series



- The 747 Series is an inverted Block and Tackle balance for **tilt** applications.
- Balances are ordered based on the stamp.
- If the balance is not available, measure the glass height and sash weight.
- The information below is based on two balances per sash.
- For additional information and sizes, call your sales rep **800.842.0974**
- Weight capacities are listed per pair of balances in lbs.
- This innovative Block & Tackle balance and shoe design allows a simple 1-2-3 installation.
- Allows for balance installation after window is assembled without heating or notching the jamb.

Length	Stamp	Weight	WRS Part #	Length	Stamp	Weight	WRS Part #	Length	Stamp	Weight	WRS Part #
10"	10A	1-6	05-747-10A	11"	11A	3-7	05-747-11A	12"	12A	3-7	05-747-12A
10"	10B	6-10	05-747-10B	11"	11B	7-10	05-747-11B	12"	12B	7-10	05-747-12B
10"	10C	10-13	05-747-10C	11"	11C	10-16	05-7147-11C	12"	12C	10-16	05-747-12C
								12"	12D	16-18	05-747-12D
13"	13A	3-7	05-747-13A	14"	14A	3-7	05-747-14A	15"	15A	3-7	05-747-15A
13"	13B	7-10	05-747-13B	14"	14B	7-10	05-747-14B	15"	15B	7-10	05-747-15B
13"	13C	10-16	05-747-13C	14"	14C	10-16	05-747-14C	15"	15C	10-16	05-747-15C
13"	13D	16-18	05-747-13D	14"	14D	16-19	05-747-14D	15"	15D	16-19	05-747-15D
								15"	15E	19-22	05-747-15E
								15"	15F	22-25	05-747-15F
16"	16A	3-7	05-747-16A	17"	17A	3-7	05-747-17A	18"	18A	4-9	05-747-18A
16"	16B	7-10	05-747-16B	17"	17B	7-10	05-747-17B	18"	18B	9-13	05-747-18B
16"	16C	10-16	05-747-16C	17"	17C	10-16	05-747-17C	18"	18C	13-18	05-747-18C
16"	16D	16-19	05-747-16D	17"	17D	16-19	05-747-17D	18"	18D	18-21	05-747-18D
16"	16E	19-22	05-747-16E	17"	17E	19-22	05-747-17E	18"	18E	21-24	05-747-18E
16"	16F	22-25	05-747-16F	17"	17F	22-24	05-747-17F	18"	18F	24-26	05-747-18F
16"	16G	25-27	05-747-16G	17"	17G	24-28	05-747-17G	18"	18G	26-29	05-747-18G
								18"	18H	29-32	05-747-18H
19"	19A	4-9	05-747-19A	20"	20A	5-10	05-747-20A	21"	21A	5-10	05-747-21A
19"	19B	9-13	05-747-19B	20"	20B	10-14	05-747-20B	21"	21B	10-14	05-747-21B
19"	19C	13-18	05-747-19C	20"	20C	14-18	05-747-20C	21"	21C	14-18	05-747-21C
19"	19D	18-21	05-747-19D	20"	20D	18-22	05-747-20D	21"	21D	18-22	05-747-21D
19"	19E	21-24	05-747-19E	20"	20E	22-26	05-747-20E	21"	21E	22-26	05-747-21E
19"	19F	24-26	05-747-19F	20"	20F	26-30	05-747-20F	21"	21F	26-30	05-747-21F
19"	19G	26-29	05-747-19G	20"	20G	30-34	05-747-20G	21"	21G	30-34	05-747-21G
22"	22A	5-10	05-747-22A	23"	23A	5-10	05-747-23A	24"	24A	6-11	05-747-24A
22"	22B	10-16	05-747-22B	23"	23B	10-16	05-747-23B	24"	24B	11-17	05-747-24B
22"	22C	16-21	05-747-22C	23"	23C	16-21	05-747-23C	24"	24C	17-22	05-747-24C
22"	22D	21-24	05-747-22D	23"	23D	21-24	05-747-23D	24"	24D	22-25	05-747-24D
22"	22E	24-17	05-747-22E	23"	23E	24-17	05-747-23E	24"	24E	25-28	05-747-24E
22"	22F	27-30	05-747-22F	23"	23F	27-30	05-747-23F	24"	24F	28-30	05-747-23F
22"	22G	30-34	05-747-22G	23"	23G	30-34	05-747-23G	24"	24G	30-34	05-747-23G
22"	22H	34-37	05-747-22H	23"	23H	34-37	05-747-23H	24"	24H	34-37	05-747-23H
25"	25A	6-11	05-747-25A	26"	26A	6-11	05-747-26A	27"	27A	6-11	05-747-27A
25"	25B	11-17	05-747-25B	26"	26B	11-17	05-747-26B	27"	27B	11-17	05-747-27B
25"	25C	17-22	05-747-25C	26"	26C	17-22	05-747-26C	27"	27C	17-22	05-747-27C
25"	25D	22-25	05-747-25D	26"	26D	22-26	05-747-26D	27"	27D	22-26	05-747-27D
25"	25E	25-28	05-747-25E	26"	26E	26-30	05-747-26E	27"	27E	26-30	05-747-27E
25"	25F	28-30	05-747-25F	26"	26F	30-34	05-747-26F	27"	27F	30-34	05-747-27F
25"	25G	30-34	05-747-25G	26"	26G	34-38	05-747-26G	27"	27G	34-38	05-747-27G
25"	25H	34-37	05-747-25H	26"	26H	38-42	05-747-26H	27"	27H	38-42	05-747-27H
28"	28A	7-12	05-747-28A	29"	29A	7-12	05-747-29A	30"	30A	8-13	05-747-30A
28"	28B	12-18	05-747-28B	29"	29B	12-18	05-747-29B	30"	30B	13-19	05-747-30B
28"	28C	18-23	05-747-28C	29"	29C	18-23	05-747-29C	30"	30C	19-24	05-747-30C
28"	28D	23-28	05-747-28D	29"	29D	23-28	05-747-29D	30"	30D	24-29	05-747-30D
28"	28E	28-32	05-747-28E	29"	29E	28-32	05-747-29E	30"	30E	29-33	05-747-30E
28"	28F	32-36	05-747-28F	29"	29F	32-36	05-747-29F	30"	30F	33-37	05-747-30F
28"	28G	36-40	05-747-28G	29"	29G	36-40	05-747-29G	30"	30G	37-40	05-747-30G
28"	28H	40-43	05-747-28H	29"	29H	40-43	05-747-29H	30"	30H	40-43	05-747-30H

747 Series




Length	Stamp	Weight	WRS Part #	Length	Stamp	Weight	WRS Part #	Length	Stamp	Weight	WRS Part #
31"	31A	8-13	05-747-31A	32"	32A	8-14	05-747-32A	33"	33A	8-14	05-747-33A
31"	31B	13-19	05-747-31B	32"	32B	14-20	05-747-32B	33"	33B	14-20	05-747-33B
31"	31C	19-24	05-747-31C	32"	32C	20-25	05-747-32C	33"	33C	20-25	05-747-33C
31"	31D	24-29	05-747-31D	32"	32D	25-30	05-747-32D	33"	33D	25-30	05-747-33D
31"	31E	29-33	05-747-31E	32"	32E	30-34	05-747-32E	33"	33E	30-34	05-747-33E
31"	31F	33-37	05-747-31F	32"	32F	34-37	05-747-32F	33"	33F	34-37	05-747-33F
31"	31G	37-40	05-747-31G	32"	32G	37-40	05-747-32G	33"	33G	37-40	05-747-33G
31"	31H	40-43	05-747-31H	32"	32H	40-43	05-747-32H	33"	33H	40-43	05-747-33H
34"	34A	11-16	05-747-34A	35"	35A	11-16	05-747-35A	36"	36A	11-16	05-747-36A
34"	34B	16-22	05-747-34B	35"	35B	16-22	05-747-35B	36"	36B	16-22	05-747-36B
34"	34C	22-27	05-747-34C	35"	35C	22-27	05-747-35C	36"	36C	22-27	05-747-36C
34"	34D	27-32	05-747-34D	35"	35D	27-32	05-747-35D	36"	36D	27-32	05-747-36D
34"	34E	32-34	05-747-34E	35"	35E	32-34	05-747-35E	36"	36E	32-34	05-747-36E
34"	34F	34-37	05-747-34F	35"	35F	34-37	05-747-35F	36"	36F	34-37	05-747-36F
34"	34G	37-40	05-747-34G	35"	35G	37-40	05-747-35G	36"	36G	37-40	05-747-36G
34"	34H	40-43	05-747-34H	35"	35H	40-43	05-747-35H	36"	36H	40-43	05-747-36H
34"	34I	43-45	05-747-34I	35"	35I	43-45	05-747-35I	36"	36I	43-45	05-747-36I
37"	37A	11-16	05-747-37A	38"	38A	11-16	05-747-38A	39"	39A	11-16	05-747-39A
37"	37B	16-22	05-747-37B	38"	38B	16-22	05-747-38B	39"	39B	16-22	05-747-39B
37"	37C	22-27	05-747-37C	38"	38C	22-27	05-747-38C	39"	39C	22-27	05-747-39C
37"	37D	27-32	05-747-37D	38"	38D	27-32	05-747-38D	39"	39D	27-32	05-747-39D
37"	37E	32-34	05-747-37E	38"	38E	32-34	05-747-38E	39"	39E	32-34	05-747-39E
37"	37F	34-37	05-747-37F	38"	38F	34-37	05-747-38F	39"	39F	34-37	05-747-39F
37"	37G	37-40	05-747-37G	38"	38G	37-40	05-747-38G	39"	39G	37-40	05-747-39G
37"	37H	40-43	05-747-37H	38"	38H	40-43	05-747-38H	39"	39H	40-43	05-747-39H
37"	37I	43-45	05-747-37I	38"	38I	43-45	05-747-38I	39"	39I	43-45	05-747-39I
40"	40A	11-16	05-747-40A	41"	41A	11-16	05-747-41A	42"	42A	11-16	05-747-42A
40"	40B	16-22	05-747-40B	41"	41B	16-22	05-747-41B	42"	42B	16-22	05-747-42B
40"	40C	22-27	05-747-40C	41"	41C	22-27	05-747-41C	42"	42C	22-27	05-747-42C
40"	40D	27-32	05-747-40D	41"	41D	27-32	05-747-41D	42"	42D	27-32	05-747-42D
40"	40E	32-34	05-747-40E	41"	41E	32-34	05-747-41E	42"	42E	32-34	05-747-42E
40"	40F	34-37	05-747-40F	41"	41F	34-37	05-747-41F	42"	42F	34-37	05-747-42F
40"	40G	37-40	05-747-40G	41"	41G	37-40	05-747-41G	42"	42G	37-40	05-747-42G
40"	40H	40-43	05-747-40H	41"	41H	40-43	05-747-41H	42"	42H	40-43	05-747-42H
40"	40I	43-45	05-747-40I	41"	41I	43-45	05-747-41I	42"	42I	43-45	05-747-42I
43"	43A	11-16	05-747-43A	44"	44A	11-16	05-747-44A				
43"	43B	16-22	05-747-43B	44"	44B	16-22	05-747-44B				
43"	43C	22-27	05-747-43C	44"	44C	22-27	05-747-44C				
43"	43D	27-32	05-747-43D	44"	44D	27-32	05-747-44D				
43"	43E	32-34	05-747-43E	44"	44E	32-34	05-747-44E				
43"	43F	34-37	05-747-43F	44"	44F	34-37	05-747-44F				
43"	43G	37-40	05-747-43G	44"	44G	37-40	05-747-44G				
43"	43H	40-43	05-747-43H	44"	44H	40-43	05-747-44H				
43"	43I	43-45	05-747-43I	44"	44I	43-45	05-747-44I				



747 Series Clips


#05-162




#05-163




#05-164



#05-165




#05-166




747 Series Tilt Shoes




#05-150
Drop-In T-Lock
Closed Cam/Metal Spring




#05-151
Drop-In T-Lock
Closed Cam/Metal Spring




#05-152
Drop-In T-Lock
White Puck/Open Cam




#05-156
Drop-In T-Lock
White Puck/Closed Cam




#05-157
Drop-In T-Lock
Green Puck/Closed Cam




#05-158
Drop-In T-Lock
Black Puck/Closed Cam




#05-153
Drop-In T-Lock
Blue Puck/Closed Cam



#05-154
Drop-In T-Lock
White Puck/Closed Cam



#05-155
Drop-In T-Lock
White Puck/Open Cam



Any questions, call your Account Specialist @ 800.842.0974